

Suprema™
WITH  XPRESSFIT™

T A P W A R E I N N O V A T I O N

Product Guide



K I T C H E N | A L F R E S C O | L A U N D R Y

Established in 1995, Suprema is an Australian brand built on the principles of innovation, reliability and superior customer service. Suprema’s range focuses on the beauty and durability of stainless steel.

The Suprema XpressFit range of tapware is a multi award-winning range, providing consumers with clean, non-toxic, innovative stainless steel tapware for the kitchen and laundry. Tapware installation has become faster and easier with the patented, award winning top mount installation mechanism by XpressFit.

A range of modern and classic style stainless steel sinks have been curated to complement and provide functionality to the kitchen.

Contents

Cool Start	3
Standard Mixers	4
Retractable Mixers	8
Twin Handle Taps	14
Hob Spout and Mixer	17
Laundry Solutions	18
6 Xpress Steps	20
Sinks	22
Accessories	26

Cool Start

The cool start feature is available on a selected range of Suprema XpressFit mixers (marked with "cool start icon").

From an aesthetics view point, mixers look their best when the handle is aligned with the tap body, pointing upwards.

With the cool start feature when the mixer handle is pointing upwards, the tap is set to the cold water position.

Hot water will begin to mix with the cold water as the handle is moved forward, towards the user.

This energy saving cool start feature minimises unnecessary use of hot water, minimises the times an instantaneous hot water system is unintentionally activated.

The cool start cartridge offers a full 90 degree range to mix cold and hot water as the handle moves forward. This gives the user control of the widest temperature range possible with mixer tapware.

The cool start handle is also ideal for situations where there is limited space between the mixer and the splashback as a +/- 45 degree turning mixer handle would hit the wall.




Energy saving



Wide temperature range



Suitable for tight spaces



SCAN TO FIND OUT MORE ABOUT THE COOL START RANGE:




Standard Mixer Features



- 1 NEOPERL Aerators**
 Aerators renown for quality and consistent performance.
- 2 Stainless steel construction**
 Suprema XpressFit mixers bodies are made of 304 or 316 grade stainless steel. Stainless steel is not only more durable but is also made from a safer composition than brass, which is traditionally used in taps and mixers. Stainless steel is known for its hygiene qualities as its smooth surface resists the harbouring of germs and can be re-polished. Suprema XpressFit mixers come in a range of finishes to complement your kitchen.
- 3 Cool Start**
 Energy saving and ergonomic design. When the handle is pointing upwards, the tap is set at cold. Mixing with hot water begins as handle is moved forward. Ideal for installations close to wall. Available on models with cool start icon.



- 4 XpressFit patented installation mechanism**
 Tap installation has never been easier or faster. Fixing the mixer to the sink or benchtop takes less than 60 seconds and it's all done from above the benchtop. XpressFit eliminates the challenge of trying to get under and behind the sink to secure the mixer. All you need is a hand drill.
- 5 600mm nylon braided PEX inlet hoses**
 All Suprema XpressFit mixers come with 600mm PEX inlet hoses already secured to the mixer body. The extra long PEX hoses reduces the need for connectors, saving time and money. The nylon braiding provides protection and durability to the hose. PEX contains cross linked bonds in the polymer structure, providing outstanding heat and chemical resistance and tensile strength, so your drinking water is not being compromised.
- 6 Quick install nuts**
 This tool-less solution is another innovative feature unique to Suprema XpressFit, allowing you to easily hand tighten the PEX inlet hoses to the isolating stop valve.



15
YEAR
WARRANTY

On parts. Please refer to warranty statement for details.

24
MONTH
WARRANTY

On labour. Please refer to warranty statement for details.

Standard Mixer Range



SCAN TO FIND OUT MORE ABOUT THE STANDARD MIXER RANGE:



XSSENTIAL
XFIT050SKM

Classic Flick Mixer
Height: 140mm
Projection: 230mm

- Features:**
- 304 stainless steel construction
 - Patented XpressFit mechanism
 - 25mm ceramic disc cartridge
 - WELS 4 star rating, 7.5 litres per minute
 - WELS Reg. T35591

Available in:

Polished Chrome

XPO
XFIT100SKM

Classic Gooseneck Mixer
Height: 354mm
Projection: 199mm



- Features:**
- 304 stainless steel construction
 - Patented XpressFit mechanism
 - Cool Start handle
 - 35mm ceramic disc cartridge
 - WELS 4 star rating, 7.5 litres per minute
 - WELS Reg. T44008

Available in:

Satin

Polished Chrome

Matt Black

X-CLASS
XFIT200SKM

Gooseneck with Modern Geometric Body and Handle
Height: 380mm
Projection: 232mm

- Features:**
- 304 stainless steel construction
 - Patented XpressFit mechanism
 - 35mm ceramic disc cartridge
 - WELS 4 star rating, 7.5 litres per minute
 - WELS Reg. T35488

Available in:

Satin

Matt Black

Brushed Gunmetal

Brushed Rose Gold

Brushed Gold

XON
XFIT300SKM

Classic Square Gooseneck Mixer
Height: 334mm
Projection: 205mm

- Features:**
- 304 stainless steel construction
 - Patented XpressFit mechanism
 - 35mm ceramic disc cartridge
 - WELS 4 star rating, 7.5 litres per minute
 - WELS Reg. T35486

Available in:

Satin

Polished Chrome

Matt Black

XCELSIOR
XFIT600SKM

Elegant Straight Neck Mixer
Height: 289mm
Projection: 220mm

- Features:**
- 304 stainless steel construction
 - Patented XpressFit mechanism
 - 35mm ceramic disc cartridge
 - WELS 4 star rating, 7.5 litres per minute
 - WELS Reg. T35485

Available in:

Satin

Matt Black

Brushed Gunmetal

Brushed Rose Gold

Brushed Gold

XEC
XFIT700SKM

Modern Linear Surface Mixer
Height: 357mm
Projection: 193mm

- Features:**
- 304 stainless steel construction
 - Patented XpressFit mechanism
 - 35mm ceramic disc cartridge
 - WELS 4 star rating, 7.5 litres per minute
 - WELS Reg. T35590

Available in:

Satin

Black + Bling

Brushed Gunmetal

Brushed Rose Gold

Brushed Gold

Retractable Mixer Features

spout
tek

1

Stainless steel construction

Suprema XpressFit mixers bodies are made of either 304 or 316 grade stainless steel. Stainless steel is not only more durable but is also made from a safer composition than brass, which is traditionally used in taps and mixers.

The internal sealed stainless steel body also prevents water from leaking down into your cabinetry.

Suprema XpressFit mixers come in a range of finishes to complement your kitchen.

2

XpressFit patented installation mechanism

Tap installation has never been easier or faster. XpressFit eliminates the challenge of trying to get under and behind the sink to secure the mixer. All you need is a hand drill.

3

Quick install nuts

This tool-less solution is another innovative feature unique to Suprema XpressFit allowing you to easily hand tighten the PEX inlet hoses to the isolating stop valve.

4

Pull out nozzle

When you want further reach. The nozzle will stay in extended position (under certain water pressure)* and automatically retract into place when you turn off the water. Pull out hose is made of durable and food safe TPV.

5

Dual spray with swivel spout

Swivel ball joint nozzle with dual spray pattern available on certain models.

6

Cool Start*

Energy saving and ergonomic design. When the handle is pointing upwards, the tap is set at cold. Mixing with hot water begins as handle is moved forward.

Ideal for installations close to wall. Available on models with cool start icon.



7

Space saving, award winning patented design

Innovative SpoutTEK design gives pull out functionality without a long hose and counterweight under the sink, as is the case with traditional pull out mixers. Giving you more usable space under the sink.

8

600mm nylon braided PEX inlet hoses

All Suprema XpressFit mixers come with 600mm PEX inlet hoses already secured to the mixer body.

The extra long PEX hoses reduces the need for connectors, saving time and money.

The nylon braiding provides protection and durability to the hose.


PEX contains cross linked bonds in the polymer structure, providing outstanding heat and chemical resistance and tensile strength, so your drinking water is not being compromised.

*Only certain models.



GOOD
DESIGN
AWARD®
WINNER

spout
tek



15
YEAR
WARRANTY

On parts. Please
refer to warranty
statement for
details.

24
MONTH
WARRANTY

On labour. Please
refer to warranty
statement for
details.

Mini Retractable Mixer Range



XPLORER
XFIT900RKM

Gooseneck Retractable Mixer with Etched Nozzle
Height: 400mm
Projection: 206mm
Pull out length: 220mm




- Features:**
- 304 stainless steel construction
 - Patented SpoutTEK and XpressFit technology
 - Pull out and retractable etched designer nozzle
 - 35mm ceramic disc cartridge
 - WELS 3 star rating, 9 litres per minute
 - WELS Reg. T44009



XCLAIMER
XFIT910RKM

Straight Neck Retractable Mixer
Height: 400mm
Projection: 245mm
Pull out length: 250mm

- Features:**
- 304 stainless steel construction
 - Patented SpoutTEK and XpressFit technology
 - Pull out and retractable nozzle
 - 35mm ceramic disc cartridge
 - WELS 3 star rating, 9 litres per minute
 - WELS Reg. T35490



XTRAVERT
XFIT920RKM

Tall Gooseneck Retractable Mixer with Dual Spray
Height: 495mm
Projection: 235mm
Pull out length: 260mm

- Features:**
- 304 stainless steel construction
 - Patented SpoutTEK and XpressFit technology
 - Pull out and retractable nozzle with dual spray
 - 35mm ceramic disc cartridge
 - WELS 3 star rating, 9 litres per minute
 - WELS Reg. T35571



XAVIER
XFIT930RKM

Angular Gooseneck Retractable Mixer with Dual Spray
Height: 385mm
Projection: 226mm
Pull out length: 185mm




- Features:**
- 304 stainless steel construction
 - Patented SpoutTEK and XpressFit technology
 - Pull out and retractable nozzle with dual spray
 - 25mm ceramic disc cartridge
 - WELS 5 star rating, 6 litres per minute



Maxi Retractable Mixer Range

SCAN TO FIND OUT MORE ABOUT THE RETRACTABLE MIXER RANGE:



XACTA XFIT800RKM



Gooseneck Maxi Retractable Mixer with Dual Spray
Height: 483mm
Projection: 236mm
Pull out length: 390mm

Features:

- 304 stainless steel construction
- Patented SpoutTEK and XpressFit technology
- Pull out and retractable nozzle with dual spray
- Nozzle can maintain extended position at minimum 300Kpa water pressure
- 35mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg. T44172

Available in:



XCEL XFIT810RKM



Gooseneck Maxi Retractable Mixer with Dual Spray and Conical Body
Height: 482mm
Projection: 221mm
Pull out length: 390mm

Features:

- 304 stainless steel construction
- Patented SpoutTEK and XpressFit technology
- Pull out and retractable nozzle with dual spray
- Nozzle can maintain extended position at minimum 300Kpa water pressure
- 35mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg. T44363

Available in:



XOXO XFIT820RKM



Slimline Gooseneck Maxi Retractable Mixer with Dual Spray
Height: 398mm
Projection: 212mm
Pull out length: 320mm

Features:

- 304 stainless steel construction
- Patented SpoutTEK and XpressFit technology
- Pull out and retractable nozzle with dual spray
- Nozzle can maintain extended position at minimum 300Kpa water pressure
- 25mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg. T48624

Available in:



XCALIBRE XFIT2010RKM



Alfresco Gooseneck Maxi Retractable Mixer with Dual Spray
Height: 474mm
Projection: 242mm
Pull out length: 370mm

Features:

- 316 marine grade stainless steel construction
- Patented SpoutTEK and XpressFit technology
- Pull out and retractable nozzle with dual spray
- 35mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg. T38642

Available in:



Alfresco 316 Retractable Mixer Range

316 marine grade stainless steel retractable mixer. Ideal for alfresco kitchens or coastal homes. Lead free and able to withstand harsh climates. Durability without compromising on style and functionality.



SCAN TO FIND OUT MORE ABOUT THE ALFRESCO 316 MIXER RANGE:



Twin Handle Tap Features

A world first...

This is only achievable with the patented SpoutTEK design which eliminates the need for an undersink counterweight used in traditional pull out mixers. Energy saving design with separate hot and cold water controls, you are not unintentionally turning on your hot water. The 316 marine grade stainless steel body, is not only lead free but can withstand harsh environments. Ideal for alfresco kitchens and coastal homes.



1

Pull out nozzle

Dual handle tap with pull out functionality, an exclusive design with Suprema XpressFit. The pull out hose is made of durable and food safe TPV.

2

Rotating dual spray

Rotating ball joint nozzle with dual spray pattern.

3

Space saving, award winning patented design

Innovative SpoutTEK design gives pull out functionality without a long hose and counterweight under the sink, as is the case with traditional pull out mixers. Giving you more usable space under the sink.

4

600mm nylon braided PEX inlet hoses

All Suprema XpressFit mixers come with 600mm PEX inlet hoses already secured to the mixer body.

The extra long PEX hoses reduces the need for connectors, saving time and money.

The nylon braiding provides protection and durability to the hose.

PEX contains cross linked bonds in the polymer structure, providing outstanding heat and chemical resistance and tensile strength, so your drinking water is not being compromised.

5

316 marine grade stainless steel

The tap body is made of 316 marine grade stainless steel. Stainless steel is not only more durable but is made from a safer composition than brass which is traditionally used in taps and mixers.

316 grade stainless steel can withstand harsh environments, making the tap ideal for the alfresco kitchen and coastal homes.

6

Separate hot and cold handles

Energy saving feature with separate hot water controls, unlike a mixer where you may be unintentionally mixing hot and cold water.

7

XpressFit patented installation mechanism

Tap installation has never been easier or faster. XpressFit eliminates the challenge of trying to get under and behind the sink to secure the mixer. All you need is a hand drill.


8

Quick install nuts

This tool-less solution is another innovative feature unique to Suprema XpressFit allowing you to easily hand tighten the PEX inlet hoses to the isolating stop valve.



spout
tek



Twin Handle Tap Range

SCAN TO FIND OUT MORE ABOUT THE TWIN HANDLE TAP RANGE:




X-GEN XFIT1010RKM

Gooseneck Retractable Tap with Cross Handles
Height: 438mm
Projection: 242mm
Pull out length: 370mm

Features:

- 316 marine grade stainless steel construction
- Maxi pull out and retractable nozzle with dual spray
- Separate hot and cold cross handles
- 25mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg. T38641

Available in:




XSSENCE XFIT1020RKM

Gooseneck Retractable Tap with Lever Handles
Height: 463mm
Projection: 242mm
Pull out length: 370mm

Features:

- 316 marine grade stainless steel construction
- Maxi pull out and retractable nozzle with dual spray
- Separate hot and cold lever handles
- 25mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg. T38644

Available in:



XQUISITE XFIT1030RKM

Provincial Style Gooseneck Retractable Tap
Height: 455mm
Projection: 233mm
Pull out length: 370mm

Features:

- 316 marine grade stainless steel construction
- Maxi pull out and retractable nozzle with dual spray
- Separate hot and cold provincial style handles
- 25mm ceramic disc cartridge
- WELS 5 star rating, 6 litres per minute
- WELS Reg T38643

Available in:



Hob Spout and Mixer


Slimline, low profile design to suit contemporary kitchens without compromising on functionality.

The spout incorporates the XpressFit top mounting mechanism for fast, easy installation. Innovative SpoutTEK design - featuring a pull out and retractable nozzle for greater reach.

Rotating ball joint nozzle with stream and spray function to target all angles. The spout swivels left and right, giving wider sink coverage. A minimalist low profile mixer handle for easy control. Just flick the handle up or down to turn on/off, at the desired water temperature.

The easy control is more user friendly and ergonomic than progressive mixers, where full rotation is required to turn the water off. Mixer handle can be installed closer to the user for easier access. Suitable for kitchen, laundry and bathrooms.

SCAN TO FIND OUT MORE ABOUT HOB SPOUT AND MIXER RANGE:



XOXO XFIT820HSM

Retractable Hob Spout and Mixer
Height: 398mm
Projection: 212mm
Mixer diameter: 45mm

Features:

- 304 stainless steel construction
- Patented SpoutTEK and XpressFit technology
- Easy to use bench mounted mixer handle
- Swivel pull out spout with dual spray
- 25mm ceramic disc cartridge
- 5 stars, 6 litre per minute
- WELS Reg. T48625

Available in:



Retractable Wall Spout

Featuring SpoutTEK pull out and retract innovations.

- Lead free 304 stainless steel construction.
- Timeless gooseneck design.
- Dual spray pattern rotating ball joint nozzle.
- Spout swivels left and right for wider coverage; neatly tucks away when not in use.
- Easy to install.
- Can be used to replace majority of existing wall spouts.
- Available in a range of colours and finishes.
- Matching wall taps available (sold separately).
- Ideal for bathroom or laundry.



SUP800RLS

The OG Retractable Wall Spout
Height: 374mm
Projection: 194mm
Pull out length: 400mm

Features:

- 5 star rating, 6 litres per minute
- WELS Reg No. T42070

Available in:



SUP820RLS

Slimline Retractable Wall Spout
Height: 311mm
Projection: 212mm
Pull out length: 320mm

Features:

- 5 star rating, 6 litres per minute


Available in:



SCAN TO FIND OUT MORE ABOUT THE RETRACTABLE WALL SPOUT RANGE:



Wall Top Assembly and Laundry Adapter



Wall Top Assembly

- Stainless steel wall tap handles with easy 1/4 turn controls
- Lead free 304 stainless steel cover plate and handle
- Adjustable sleeve up to 18mm to cater for retrofit installations
- Colour-coded temperature decal designed to suit any handle orientations
- Minimalistic timeless design to complement most wall spouts

Available in:



Laundry Adapter

- Standard inset laundry tubs come with two 41mm bypass holes, only one is used for the washing machine bypass
- The laundry adapter converts the 41mm diameter hole to a 35mm hole suitable for a Suprema XpressFit mixer
- Converting the bypass hole into a taphole, saves plumbing in a wall mount tap and spout

Available in:



SCAN TO FIND OUT MORE ABOUT THE LAUNDRY SOLUTIONS RANGE:




6 Xpress Steps




1

Remove fully assembled mixer from packaging.




2

Slide the PEX inlet hoses and clamp plate through the tap hole.




3

Gently position the mixer no more than 200mm from the tap hole to prevent the locking nuts interfering with the clamp plate.




4

Tighten the clamp plate with a power drill fitted with a Phillips-head bit, set to 7-8 Nm of torque.




5

Secure mixer body to the flange with the supplied hex key.



6

Using the nut sleeves, hand tighten the PEX inlet hoses to the water supply.





Sinks


Suprema sinks are crafted from corrosion resistant 304 stainless steel. All sinks are individually packaged, with pop up basket wastes, gasket seals and reversible clips.

Each sink is coated with an acoustic absorbing underlining and comes with a 25 year manufacturer's warranty. Accessories are available to complement your sink, making food preparation and washing up easier.

QUBIX range:

QUBIX100

570 x 450mm
Bowl depth: 200mm
Capacity: 40L




Features:

- Handcrafted single bowl
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- 1.0mm 304 brushed finish stainless steel
- Undermount / overmount installation

QUBIX400

780 x 450mm
Bowl depth: 200mm
Capacity: 31L & 23L




Features:

- Handcrafted 1 & 3/4 bowl
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- 1.0mm 304 brushed finish stainless steel
- Undermount / overmount installation

QUBIX500

880 x 450mm
Bowl depth: 200mm
Capacity: 31L & 31L




Features:

- Handcrafted double bowl
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- 1.0mm 304 brushed finish stainless steel
- Undermount / overmount installation

QUBIX100D

970 X 450mm
Bowl depth: 200mm
Capacity: 40L




Features:

- Handcrafted single bowl with drainer
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- 1.2mm 304 brushed finish stainless steel
- Undermount / overmount installation

QUBIX400D

1180 X 450mm
Bowl depth: 200mm
Capacity: 31L & 23L




Features:

- Handcrafted 1 & 3/4 bowl with drainer
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- 1.2mm 304 brushed finish stainless steel
- Undermount / overmount installation

QUBIX500D

1280 X 450mm
Bowl depth: 200mm
Capacity: 31L & 31L



Features:

- Handcrafted double bowl with drainer
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- 1.2mm 304 brushed finish stainless steel
- Undermount / overmount installation




SCAN TO FIND OUT MORE ABOUT THE SINKS & ACCESSORIES RANGE:



QUBIX130T

570 x 510mm
Bowl depth: 230mm
Capacity: 48L




Features:

- Handcrafted single bowl with tap landing
- Tap landing with single tap hole, ideal for laminate benchtops
- 15mm radius corners for a modern look yet easy to clean
- Suits butler kitchens, bar and laundry
- Overmount installation

QUBIX700

785 x 460mm
Bowl depth: 200mm
Capacity: 60L




Features:

- Handcrafted maxi single bowl
- Extra large trough sink ideal for farmhouse or provincial kitchens
- 15mm radius corners for a modern look yet easy to clean
- Matching designer square waste
- Undermount / overmount installation

QUBIX range optional accessories:

Sink Protector



Stainless Steel Draining Tray




Cutting Board



ASHTON range:

ASHTON100

490 X 460mm
Bowl depth: 200mm
Capacity: 35L




Features:

- Handcrafted single bowl
- 15mm radius corners for a modern look yet easy to clean
- Rear positioned round waste
- 1.0mm 304 brushed finish stainless steel
- Undermount / overmount installation

ASHTON500

785 X 460mm
Bowl depth: 200mm
Capacity: 27L & 27L




Features:

- Handcrafted double bowl
- 15mm radius corners for a modern look yet easy to clean
- Rear positioned round waste
- 1.0mm 304 brushed finish stainless steel
- Undermount / overmount installation

ASHTON range optional accessories:

Sink Protector



Stainless Steel Draining Tray




Cutting Board



MASON range:

MASON100

500 x 860mm
Bowl depth: 200mm
Capacity: 25L




Features:

- Single bowl with drainer
- 25mm radius corners for a contemporary square look
- Straight pattern embossed drainer with laser cut edges for a flush finish
- Available with or without taphole
- Choice of left or right hand bowl configuration
- 0.8mm 304 brushed stainless steel
- Overmount installation

MASON300

500 x 1160mm
Bowl depth: 200mm & 180mm
Capacity: 25L & 17L




Features:

- 1 & 3/4 bowl with drainer
- 25mm radius corners for a contemporary square look
- Straight pattern embossed drainer with laser cut edges for a flush finish
- Available with or without taphole
- Choice of left or right hand bowl configuration
- 0.8mm 304 brushed stainless steel
- Overmount installation

MASON600

500 x 1200mm
Bowl depth: 200mm & 200mm
Capacity: 25L & 25L



Features:

- Double bowl with drainer
- 25mm radius corners for a contemporary square look
- Straight pattern embossed drainer with laser cut edges for a flush finish
- Available with or without taphole
- Choice of left or right hand bowl configuration
- 0.8mm 304 brushed stainless steel
- Overmount installation



Laundry range:

SUP45

470 x 630mm
Bowl depth: 220mm
Capacity: 45L

Features:

- Flushline inset laundry tub
- Space saving design
- Left and right pre-punched by-pass holes
- By-pass kit and 90mm plug and waste included
- 0.8mm 304 polished finish stainless steel



SCAN TO FIND
OUT MORE ABOUT
THE SINKS &
ACCESSORIES
RANGE:



MASON range optional accessories:

Stainless Steel Draining Tray




Cutting Board




Accessories

Complete your sink with compatible and functional accessories, to make food preparation and washing up easier.




Sink Protector

QUB100GRD
QUB400GRD
QUB500GRD
Complements Qubix range
(excl. Qubix700)



Sink Protector

QUB700GRD
Complements Qubix700 sink



Sink Protector

ASH100GRD
ASH500GRD
Complements Ashton range



Wooden Cutting Board

CSQUADCB
425 x 277mm
Complements Qubix range



Wooden Cutting Board

CB800
420 x 365mm
Complements Ashton range



Wooden Cutting Board

CB900
420 x 370mm
Complements Mason range



Stainless Steel Draining Tray (inset)

CSQUADCL
435 x 250 x 30mm
Complements Qubix & Ashton range



Stainless Steel Draining Tray (inset)

CL900
370 x 220 x 60mm
Complements Mason range




Stainless Steel Draining Tray (benchtop)

DT100
424 X 340mm
Complements Qubix & Ashton range



SCAN TO FIND
OUT MORE
ABOUT THE
ACCESSORIES
RANGE:



KITCHEN | ALFRESCO | LAUNDRY



WWW.XPRESSFITMIXERS.COM.AU

WWW.SUPREMA.COM.AU



@XPRESSFITMIXERS



@XPRESSFITMIXERS

While we aim for details and specifications to be correct at the time of printing, we are not responsible for any errors or omission.

Shinda Australia reserves the rights to modify specifications and delete product ranges without prior notification.

Printed images are for reference only and the colour and finish may vary from the actual product.